

Structural Concepts	Structural Concepts' Written Specification
GRAB & GO Cases	Alphabetical by model number.
B32	The display case shall be Structural Concepts' Oasis 24"D refrigerated open air screen case (B32) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. Front compressor air intake and discharge. Two laminated end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
B42	The display case shall be Structural Concepts' Oasis 24"D refrigerated open air screen case (B42) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6' power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. Front compressor air intake and discharge. Two laminated end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
B62	The display case shall be Structural Concepts' Oasis 24"D refrigerated open air screen case (B62) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6' power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. Front compressor air intake and discharge. Two laminated end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
B82	The display case shall be Structural Concepts' Oasis 24"D refrigerated open air screen case (B82) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6' power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. Front compressor air intake and discharge. Two laminated end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CMIA	The display case shall be Structural Concepts' Oasis multi-temperature grab & go island (CMIA) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6' power cord. Compressor air intake in one side and out opposite. T-8 top light and two lighted metal shelves in refrigerated section. Two non-lighted Stainless Steel heated shelves and deck with individual heat controls for each display level on one end. Two 7-quart heated soup kettles with individual controls on other end. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO2739R	The display case shall be Structural Concepts' Oasis 34"D refrigerated open air screen case (CO2739R) with Breeze™ with EnergyWise self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO3660R	The display case shall be Structural Concepts' Oasis refrigerated open air screen case (CO3660R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6'

	power cord, open front for grab & go selection, T-8 top light, (2) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO3678R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO3678R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO4748R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO4748R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (2) adjustable/removable non-lighted shelves and solid back. Front compressor air intake; rear discharge. Two laminated end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO4760R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO4760R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (2) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO4778R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO4778R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO5960R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO5960R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (2) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO5978R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO5978R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’ power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. 4”D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO7160R	The display case shall be Structural Concepts’ Oasis refrigerated open air screen case (CO7160R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6’

	power cord, open front for grab & go selection, T-8 top light, (2) adjustable/removable non-lighted shelves and solid back. 4"D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CO7178R	The display case shall be Structural Concepts' Oasis refrigerated open air screen case (CO7178R) with Breeze™ EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan. 6' power cord, open front for grab & go selection, T-8 top light, (4) adjustable/removable non-lighted shelves and solid back. 4"D removable rear wall spacer bracket. Front compressor air intake; rear discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CSC3223	The display case shall be Structural Concepts' Impulse self-service non-refrigerated countertop case (CSC3223) with (4) tray support shelves, self-closing swinging front doors, T-8 side lights w/protective shields, 6"H base w/bag area and 12" power cord. One year parts and labor warranty.
CSF4231	The display case shall be Structural Concepts' Addenda upright self-service pastry case (CSF4231) with two glass end panels, (4) tray support shelves, self-closing swinging front doors, T-8 side lights, 6"D package ledge and 12" power cord. One year parts and labor warranty.
DO3616R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in counter case (DO3616R) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection and T-8 top light. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DO3623R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in counter case (DO3623R) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable non-lighted shelf and solid back. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DO3637R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in counter case (DO3637R) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable non-lighted shelves and solid back. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DO4816R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in counter case (DO4816R) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection and T-8 top light. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DO4823R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in counter case (DO4823R) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable non-lighted shelf and solid back. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DO4837R	The display case shall be Structural Concepts' Impulse self-service refrigerated drop-in case (DO4837R) with Breeze™ with EnergyWise slide-out

	self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable non-lighted shelves and solid back. Rear compressor air intake and discharge. Two glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
FSE45R	The display case shall be Structural Concepts’ Oasis grab & go end cap (FSE45R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6’ power cord. Compressor air intake in one side and out opposite. T-8 top light and three lighted metal shelves. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
FSE65R	The display case shall be Structural Concepts’ Oasis grab & go end cap (FSE65R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6’ power cord. Compressor air intake in one side and out opposite. T-8 top light and three lighted metal shelves. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMO2653R	The display case shall be Structural Concepts’ Harmony 34”D refrigerated open air screen case (HMO2653R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6’ power cord. T-8 top light, three lighted glass shelves and solid back. Compressor air intake from rear; out front at toe kick. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMO3953R	The display case shall be Structural Concepts’ Harmony 34”D refrigerated open air screen case (HMO3953R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6’ power cord. T-8 top light, three lighted glass shelves and solid back. Compressor air intake from rear; out front at toe kick. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMO5153R	The display case shall be Structural Concepts’ Harmony 34”D refrigerated open air screen case (HMO5153R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6’ power cord. T-8 top light, three lighted glass shelves and solid back. Compressor air intake from rear; out front at toe kick. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV3638RSS	The display case shall be Structural Concepts’ Encore 37”H refrigerated self-service case (HV3638RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable lighted shelf and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV3648RSS	The display case shall be Structural Concepts’ Encore 37”H refrigerated self-service case (HV3648RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable lighted shelf and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV3656RSS	The display case shall be Structural Concepts’ Encore 37”H refrigerated self-service case (HV3656RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable lighted shelf and solid back. Rear compressor air intake; front discharge. Two laminated end panels with

	mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV3674RSS	The display case shall be Structural Concepts' Encore 37"H refrigerated self-service case (HV3674RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (1) adjustable/removable lighted shelf and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV38RSS	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV38RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV38RSSRD	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV38RSSRD) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and clear glass sliding rear doors. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV48RSS	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV48RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV48RSSRD	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV48RSSRD) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and clear glass sliding rear doors. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV56RSS	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV56RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV56RSS x 2 (specify (2) units to create 10' length)	The display case shall be Structural Concepts' Encore refrigerated self-service case (specify (2) HV56RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV56RSSRD	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV56RSSRD) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and clear glass sliding rear doors. Rear compressor air intake; front discharge. Two laminated

	end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV74RSS	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV74RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV74RSS x 2 (specify (2) units to create 12' length)	The display case shall be Structural Concepts' Encore refrigerated self-service case (specify (2) HV74RSS) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and solid back. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HV74RSSRD	The display case shall be Structural Concepts' Encore refrigerated self-service case (HV74RSSRD) with Breeze™ with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord, open front for grab & go selection, T-8 top light, (3) adjustable/removable lighted shelves and clear glass sliding rear doors. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
MI4R	The display case shall be Structural Concepts' Oasis multi-purpose grab & go island (MI4R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6' power cord. Compressor air intake in one side and out opposite. Corrosion resistant Stainless Steel tub. Casters. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
MI5R	The display case shall be Structural Concepts' Oasis multi-purpose grab & go island (MI5R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6' power cord. Compressor air intake in one side and out opposite. Corrosion resistant Stainless Steel tub. Casters. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
MI6R	The display case shall be Structural Concepts' Oasis multi-purpose grab & go island (MI6R) with Breeze with EnergyWise slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep automatic condenser coil cleaner, electric condensate pan and 6' power cord. Compressor air intake in one side and out opposite. Corrosion resistant Stainless Steel tub. Casters. Laminated upper front panel. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.