

Structural Concepts	Structural Concepts' Written Specification
<b>BAKERY</b>	<b>Alphabetical by model number.</b>
C3Z3667	The display case shall be Structural Concepts' Oasis combination service/self-service case (C3Z3667) with (3) temperature controlled display areas: upper non-refrigerated service, middle refrigerated service with rotating baffle to switch display from refrigerated to non-refrigerated (vice versa) at any time and lower refrigerated grab & go. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Single pane fixed front glass and clear glass sliding rear doors (upper and middle display areas), (1) adjustable/removable lighted shelf in upper display; (1) 17"D shelf in lower open grab & go display. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. 13 ¼"D rear wrapping board. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
C3Z4867	The display case shall be Structural Concepts' Oasis combination service/self-service case (C3Z4867) with (3) temperature controlled display areas: upper non-refrigerated service, middle refrigerated service with rotating baffle to switch display from refrigerated to non-refrigerated (vice versa) at any time and lower refrigerated grab & go. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Single pane fixed front glass and clear glass sliding rear doors (upper and middle display areas), (1) adjustable/removable lighted shelf in upper display; (1) 17"D shelf in lower open grab & go display. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. 13 ¼"D rear wrapping board. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
CGC2830	The display case shall be Structural Concepts' Impulse non-refrigerated "reversible" service/self-service countertop case (CGC2830) with (3) adjustable/removable lighted shelves to accommodate service or self-service applications. Clear glass swinging doors, curved front glass and ends, T-8 top light and 6' power cord. Foam-in place tub. Conforms to NSF Standard 2. One year parts and labor warranty.
CGC3830	The display case shall be Structural Concepts' Impulse non-refrigerated "reversible" service/self-service countertop case (CGC3830) with (3) adjustable/removable lighted shelves to accommodate service or self-service applications. Clear glass swinging doors, curved front glass and ends, T-8 top light and 6' power cord. Foam-in-place tub. Conforms to NSF Standard 2. One year parts and labor warranty.
CGS2830	The display case shall be Structural Concepts' Impulse non-refrigerated "reversible" service/self-service countertop case (CGS2830) with (3) adjustable/removable lighted shelves to accommodate service or self-service applications. Clear glass swinging doors, straight front glass and ends, T-8 top light and 6' power cord. Foam-in-place tub. Conforms to NSF Standard 2. One year parts and labor warranty.
CGS3830	The display case shall be Structural Concepts' Impulse non-refrigerated "reversible" service/self-service countertop case (CGS3830) with (3) adjustable/removable lighted shelves to accommodate service or self-service applications. Clear glass swinging doors, straight front glass and ends, T-8 top light and 6' power cord. Foam-in-place tub. Conforms to NSF Standard 2. One year parts and labor warranty.
COU2757R	The display case shall be Structural Concepts' Oasis combination service/self-service case (COU2737R) with non-refrigerated service display above and refrigerated self-service display below. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Single pane fixed front glass, (1) lighted glass shelf and clear glass sliding rear doors in upper display; open grab & go lower display. Rear compressor air intake; front discharge. Two laminated end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

DG2422	The display case shall be Structural Concepts' Impulse non-refrigerated service countertop case (DG2422) with T-8 top light, 12" power cord, two glass end panels, tilt-out tempered, single pane curved front glass, clear glass rear swinging doors and (1) non-lighted glass shelf. Conforms to NSF Standard 2. One year parts and labor warranty.
DG2422R	The display case shall be Structural Concepts' Impulse refrigerated service countertop case (DG2422R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Tilt-out tempered, single pane curved front glass, (1) non-lighted glass shelf and clear glass rear swinging door. Two glass end panels. Rear compressor air intake and discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DG3622	The display case shall be Structural Concepts' Impulse non-refrigerated service countertop case (DG3622) with T-8 top light, 12" power cord, two glass end panels, tilt-out tempered, single pane curved front glass, clear glass rear sliding doors and (1) non-lighted glass shelf. Conforms to NSF Standard 2. One year parts and labor warranty.
DG3622R	The display case shall be Structural Concepts' Impulse refrigerated service countertop case (DG3622R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Tilt-out tempered, single pane curved front glass, (1) non-lighted glass shelf and clear glass rear sliding door. Two glass end panels. Rear compressor air intake and discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
DTP24	The display case shall be Structural Concepts' Encore pass through cabinet (DTP24) with Corian® or equivalent brand solid surface counter and front ledge. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTP36	The display case shall be Structural Concepts' Encore pass through cabinet (DTP36) with Corian® or equivalent brand solid surface counter and front ledge. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTP48	The display case shall be Structural Concepts' Encore pass through cabinet (DTP48) with Corian® or equivalent brand solid surface counter and front ledge. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTS36	The display case shall be Structural Concepts' Encore single deck non-refrigerated service case (DTS36) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and curved, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTS48	The display case shall be Structural Concepts' Encore single deck non-refrigerated service case (DTS48) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and curved, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTS60	The display case shall be Structural Concepts' Encore single deck non-refrigerated service case (DTS60) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and curved, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.

DTSIW45	The display case shall be Structural Concepts' Encore single deck non-refrigerated service inside corner case (DTSIW45) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and spherical, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTSIW90	The display case shall be Structural Concepts' Encore single deck non-refrigerated service inside corner case (DTSIW90) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and spherical, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTSOW45	The display case shall be Structural Concepts' Encore single deck non-refrigerated service outside corner case (DTSOW45) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and spherical, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
DTSOW90	The display case shall be Structural Concepts' Encore single deck non-refrigerated service outside corner case (DTSOW90) with Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and spherical, tempered single pane fixed front glass. 0-2 end panels (number depends on configuration of case lineup). Black powder coated 11 gauge angle iron steel support structure. One year parts and labor warranty.
FSBG48.T1	The display case shall be Structural Concepts' Fusion non-refrigerated service bakery case (FSBG48.T1) with 12" power cord. Lift-up tempered, single pane curved front glass, T-8 top and nose lights, (2) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.
FSBG48R.T1	The display case shall be Structural Concepts' Fusion refrigerated service case (FSBG48R.T1) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord, (2) adjustable/removable lighted shelves, T-8 top and nose lights. Two laminated end panels with mirror on inside of panel. Lift-up tempered, single pane curved front glass. Clear glass sliding rear doors. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
FSBG72.T1	The display case shall be Structural Concepts' Fusion non-refrigerated service bakery case (FSBG72.T1) with 12" power cord. Lift-up tempered, single pane curved front glass, T-8 top and nose lights, (2) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.
FSBG72R.T1	The display case shall be Structural Concepts' Fusion refrigerated service case (FSBG72R.T1) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord, (2) adjustable/removable lighted shelves, T-8 top and nose lights. Two laminated end panels with mirror on inside of panel. Lift-up tempered, single pane curved front glass. Clear glass sliding rear doors. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
G12F	The display case shall be Structural Concepts' Encore gelato service case (G12F) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (12) 5-liter stainless steel gelato pans and stainless steel

	interior, lower front panel and rear ledge. Two painted end panels with mirror on inside of panel. Lift-up tempered, single pane curved front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
G18F	The display case shall be Structural Concepts' Encore gelato service case (G18F) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (18) 5-liter stainless steel gelato pans and stainless steel interior, lower front panel and rear ledge. Two painted end panels with mirror on inside of panel. Lift-up tempered, single pane curved front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
G24F	The display case shall be Structural Concepts' Encore gelato service case (G24F) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (24) 5-liter stainless steel gelato pans and stainless steel interior, lower front panel and rear ledge. Two painted end panels with mirror on inside of panel. Lift-up tempered, single pane curved front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
H5C4850LR H5C4850RR	The display case shall be Structural Concepts' Encore combination refrigerated service beside non-refrigerated service case (H5C4850LR/RR) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, T-8 top light and 6' power cord. Lift-up tempered, single pane curved front glass, (3) adjustable/ removable lighted shelves (each display side) and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
H5C5650LR H5C5650RR	The display case shall be Structural Concepts' Encore combination refrigerated service beside non-refrigerated service case (H5C5650LR/RR) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, T-8 top light and 6' power cord. Lift-up tempered, single pane curved front glass, (3) adjustable/removable lighted shelves (each display side) and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
H5C7450LR H5C7450RR	The display case shall be Structural Concepts' Encore combination refrigerated service beside non-refrigerated service case (H5C7450LR/RR) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, T-8 top light and 6' power cord. Lift-up tempered, single pane curved front glass, (3) adjustable/removable lighted shelves (each display area) and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMBC2	The display case shall be Structural Concepts' Harmony 34" D combination convertible service above refrigerated self-service case (HMBC2) designed to fit through standard 36" door. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Baffle system to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Lift-up tempered, double pane curved front glass, (1) clear glass lighted shelf and rear swinging door in upper display area; single sheet metal deck in lower display area. Two single cutaway laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

HMBC3	The display case shall be Structural Concepts' Harmony 34"D combination convertible service above refrigerated self-service case (HMBC3) designed to fit through standard 36" door. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Baffle system to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Lift-up tempered, double pane curved front glass, (1) clear glass lighted shelf and clear glass rear sliding doors in upper display area; single sheet metal deck in lower display area. Two single cutaway laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMBC4	The display case shall be Structural Concepts' Harmony 34"D combination convertible service above refrigerated self-service case (HMBC4) designed to fit through standard 36" door. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Baffle system to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Lift-up tempered, double pane curved front glass, (1) clear glass lighted shelf and clear glass rear sliding doors in upper display area; single sheet metal deck in lower display area. Two single cutaway laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMBC5	The display case shall be Structural Concepts' Harmony 34"D combination convertible service above refrigerated self-service case (HMBC5) designed to fit through standard 36" door. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Baffle system to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Lift-up tempered, double pane curved front glass, (1) clear glass lighted shelf and clear glass rear sliding doors in upper display area; single sheet metal deck in lower display area. Two single cutaway laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMBC6	The display case shall be Structural Concepts' Harmony 34"D combination convertible service above refrigerated self-service case (HMBC6) designed to fit through standard 36" door. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Baffle system to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Lift-up tempered, double pane curved front glass, (1) clear glass lighted shelf and clear glass rear sliding doors in upper display area; single sheet metal deck in lower display area. Two single cutaway laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMG2653	The display case shall be Structural Concepts' Harmony 32"D non-refrigerated service bakery case (HMG2653) with T-8 top light, 12" power cord, two full end panels with mirror on inside panel, lift-up tempered, single pane curved front glass, rear swinging door and (3) lighted wire shelves. Conforms to NSF Standard 2. One year parts and labor warranty.
HMG2653R	The display case shall be Structural Concepts' Harmony 32"D refrigerated service case (HMG2653R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, double pane curved front glass, (3) adjustable/removable lighted glass shelves and (1) rear swinging door. Two laminated end panels with mirror on inside of panel. Black powder coated 11 gauge angle iron steel support structure. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

HMG3953	The display case shall be Structural Concepts' Harmony 32"D non-refrigerated service bakery case (HMG3953) with T-8 top light, 12" power cord, two full end panels with mirror on inside of panel, lift-up tempered, single pane curved front glass, clear glass rear sliding doors and (3) lighted wire shelves. Conforms to NSF Standard 2. One year parts and labor warranty.
HMG3953R	The display case shall be Structural Concepts' Harmony 32"D refrigerated service case (HMG3953R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, double pane curved front glass, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Black powder coated 11 gauge angle iron steel support structure. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMG5153	The display case shall be Structural Concepts' Harmony 32"D non-refrigerated service bakery case (HMG5153) with T-8 top light, 12" power cord, two full end panels with mirror on inside of panel, lift-up tempered, single pane curved front glass, clear glass rear sliding doors and (3) lighted wire shelves. Conforms to NSF Standard 2. One year parts and labor warranty.
HMG5153R	The display case shall be Structural Concepts' Harmony 32"D refrigerated service case (HMG5153R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, double pane curved front glass, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Black powder coated 11 gauge angle iron steel support structure. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMG6353	The display case shall be Structural Concepts' Harmony 32"D non-refrigerated service case (HMG6353) with T-8 top light, 12" power cord, two full end panels with mirror on inside of panel, lift-up tempered, single pane curved front glass, clear glass rear sliding doors and (3) lighted wire shelves. Conforms to NSF Standard 2. One year parts and labor warranty.
HMG6353R	The display case shall be Structural Concepts' Harmony 32"D refrigerated service case (HMG6353R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, double pane curved front glass, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Black powder coated 11 gauge angle iron steel support structure. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HMG7553	The display case shall be Structural Concepts' Harmony 32"D non-refrigerated service case (HMG7553) with T-8 top light, 12" power cord, two full end panels with mirror on inside of panel, lift-up tempered, single pane curved front glass, clear glass rear sliding doors and (3) lighted wire shelves. Conforms to NSF Standard 2. One year parts and labor warranty.
HMG7553R	The display case shall be Structural Concepts' Harmony 32"D refrigerated service case (HMG7553R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, double pane curved front glass, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Two laminated end panels with mirror on inside of panel. Black powder coated 11 gauge angle iron steel support structure. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor

	warranty.
HOU3852R	The display case shall be Structural Concepts' Encore combination service/self-service case (HOU3852R) with rotating baffle to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass sliding rear doors in upper display; open grab & go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HOU4852R	The display case shall be Structural Concepts' Encore combination service/self-service case (HOU4852R) with rotating baffle to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass sliding rear doors in upper display; open grab & go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HOU5652R	The display case shall be Structural Concepts' Encore combination service/self-service case (HOU5652R) with rotating baffle to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass sliding rear doors in upper display; open grab & go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HOU7452R	The display case shall be Structural Concepts' Encore combination service/self-service case (HOU7452R) with rotating baffle to switch upper display from refrigerated to non-refrigerated (vice versa) at any time. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass sliding rear doors in upper display; open grab & go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HSL3850R	The display case shall be Structural Concepts' Encore combination service case (HSL3850R) with one thirds non-refrigerated upper display; two thirds refrigerated lower display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, single pane curved front glass and clear glass rear sliding doors (upper and lower display). Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HSL4850R	The display case shall be Structural Concepts' Encore combination service case (HSL4850R) with one thirds non-refrigerated upper display; two thirds refrigerated lower display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. Lift-up tempered, single pane curved front glass and clear glass rear sliding doors (upper and lower display). Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

<p>HUDLR3852</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HUDLR3852) with non-refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, single pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and service; five year compressor warranty.</p>
<p>HUDLR4852</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HUDLR4852) with non-refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, single pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and service; five year compressor warranty.</p>
<p>HUDLR5652</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HUDLR5652) with non-refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, single pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and service; five year compressor warranty.</p>
<p>HUDLR7452</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HUDLR7452) with non-refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, single pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and service; five year compressor warranty.</p>
<p>HURLR3852</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HURLR3852) with refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HURLR4852</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HURLR4852) with refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>

<p>HURLR5652</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HURLR5652) with refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HURLR7452</p>	<p>The display case shall be Structural Concepts' Encore combination service/self-service case (HURLR7452) with refrigerated upper service and refrigerated lower self-service display. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light in lower section. Lift-up tempered, double pane curved front glass, (1) adjustable/removable lighted shelf and clear glass rear sliding doors in upper display; open grab &amp; go lower display. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One years parts and labor; five year compressor warranty.</p>
<p>HV112R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV112R) with remote refrigeration. Case to include T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor warranty.</p>
<p>HV38</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated service case (HV38). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HV38R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV38R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost and electric condensate pan. Case to include 6' power cord, T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HV48</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated service case (HV48). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HV48R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV48R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost and electric condensate pan. Case to include 6' power cord, T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HV56</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated service case (HV56). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.</p>

<p>HV56R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV56R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost and electric condensate pan. Case to include 6' power cord, T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HV74</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated service case (HV74). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HV74R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV74R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost and electric condensate pan. Case to include 6' power cord, T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>HV96R</p>	<p>The display case shall be Structural Concepts' Encore refrigerated service case (HV96R) with remote refrigeration. Case to include T-8 top light, (3) adjustable/removable lighted shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminate end panels with mirror on inside of panel. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor warranty.</p>
<p>HVAD48SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated self-service case (HVAD48SS) with clear acrylic lift-up front doors, 12" power cord, T-8 top light, (2) adjustable/removable lighted shelves and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Recessed front storage for packaging supplies. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HVAD56SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated self-service case (HVAD56SS) with clear acrylic lift-up front doors, 12" power cord, T-8 top light, (2) adjustable/removable lighted shelves and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Recessed front storage for packaging supplies. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HVAD74SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated self-service case (HVAD74SS) with clear acrylic lift-up front doors, 12" power cord, T-8 top light, (2) adjustable/removable lighted shelves and clear glass sliding rear doors. Two laminated end panels with mirror on inside of panel. Recessed front storage for packaging supplies. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HVB38SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated pull-out drawer case (HVB38SS) with (6) stay-open pull-out drawers w/wire baskets, 12" power cord, T-8 top light, two full end panels (no mirror inside), recessed front storage area. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HVB56SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated pull-out drawer case (HVB56SS) with (9) stay-open pull-out drawers w/wire baskets, 12" power cord, T-8 top light, two full end panels (no mirror inside), recessed front storage area. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>HVB74SS</p>	<p>The display case shall be Structural Concepts' Encore non-refrigerated pull-out drawer case (HVB74SS) with (12) stay-open pull-out drawers</p>

	w/wire baskets, 12” power cord, T-8 top light, two full end panels (no mirror inside), recessed front storage area. Conforms to NSF Standard 2. One year parts and labor warranty.
HVC38R	The display case shall be Structural Concepts’ Encore refrigerated service candy case (HVC38R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, T-8 top light, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HVC48R	The display case shall be Structural Concepts’ Encore refrigerated service candy case (HVC48R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord, T-8 top light, (3) adjustable/removable lighted glass shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HVLD48RSS	The display case shall be Structural Concepts’ Encore combination service/self-service case (HVLD48RSS) with non-refrigerated service beside refrigerated self-service. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Clear glass rear swinging door and lift-up tempered, single pane curved front glass (non-refrigerated side). Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HVLD56RSS	The display case shall be Structural Concepts’ Encore combination service/self-service case (HVLD56RSS) with non-refrigerated service beside refrigerated self-service. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Clear glass rear swinging door and lift-up tempered, single pane curved front glass (non-refrigerated side). Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
HVLD74RSS	The display case shall be Structural Concepts’ Encore combination service/self-service case (HVLD74RSS) with non-refrigerated service beside refrigerated self-service. Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Clear glass rear swinging door and lift-up tempered, single pane curved front glass (non-refrigerated side). Two laminated end panels with mirror on inside of panel. Rear compressor air intake; front discharge. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RB5C4848LR	The display case shall be Structural Concepts’ Renaissance combination refrigerated service beside non-refrigerated service case (RB5C4848LR). Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RB5C5948LR	The display case shall be Structural Concepts’ Renaissance combination refrigerated service beside non-refrigerated service case (RB5C5948LR). Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6’ power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

<p>RB5C7748LR</p>	<p>The display case shall be Structural Concepts' Renaissance combination refrigerated service beside non-refrigerated service case (RB5C7748LR). Case to include Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted shelves (each side). Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>RBG4848</p>	<p>The display case shall be Structural Concepts' Renaissance non-refrigerated service case (RBG4848). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two cutaway glass end panels. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>RBG5948</p>	<p>The display case shall be Structural Concepts' Renaissance non-refrigerated service case (RBG5948). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two cutaway glass end panels. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>RBG7748</p>	<p>The display case shall be Structural Concepts' Renaissance non-refrigerated service case (RBG7748). Case to include 12" power cord, T-8 top light, (3) adjustable/removable lighted wire shelves and clear glass rear sliding doors. Lift-up tempered, single pane curved front glass. Two cutaway glass end panels. Conforms to NSF Standard 2. One year parts and labor warranty.</p>
<p>RBG4848R</p>	<p>The display case shall be Structural Concepts' Renaissance refrigerated service case (RBG4848R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>RBG5948R</p>	<p>The display case shall be Structural Concepts' Renaissance refrigerated service case (RBG5948R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>RBG7748R</p>	<p>The display case shall be Structural Concepts' Renaissance refrigerated service case (RBG5948R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>RCG4848R</p>	<p>The display case shall be Structural Concepts' Renaissance refrigerated service candy case (RCG4848R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>
<p>RCG5948R</p>	<p>The display case shall be Structural Concepts' Renaissance refrigerated service candy case (RCG5948R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane curved front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.</p>

RCG7748R	The display case shall be Structural Concepts' Renaissance refrigerated service candy case (RCG7748R) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan, 6' power cord and T-8 top light. (3) adjustable/removable lighted glass shelves. Lift-up tempered, single pane front glass. Clear glass rear sliding doors. Two cutaway glass end panels. Foam-in-place tub. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RT48	The display case shall be Structural Concepts' Encore single deck refrigerated display table (RT48) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane straight front, top and end glass. Non-refrigerated rear storage. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RT72	The display case shall be Structural Concepts' Encore single deck refrigerated display table (RT72) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane straight front, top and end glass. Non-refrigerated rear storage. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RT96	The display case shall be Structural Concepts' Encore single deck refrigerated display table (RT96) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane straight front, top and end glass. Non-refrigerated rear storage. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RTS36	The display case shall be Structural Concepts' Encore single deck refrigerated service case (RTS36) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane curved fixed front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RTS48	The display case shall be Structural Concepts' Encore single deck refrigerated service case (RTS48) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane curved fixed front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.
RTS60	The display case shall be Structural Concepts' Encore single deck refrigerated service case (RTS60) with Breeze™ slide-out self-contained refrigeration package, Temperature Terminated Defrost, Clean Sweep™ automatic condenser coil cleaner, electric condensate pan and 6' power cord. Corian® or equivalent brand solid surface display deck and rear ledge. 0-2 laminated end panels (number depends on configuration of case lineup). Tempered, single pane curved fixed front glass. Rear compressor air intake; front discharge. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor; five year compressor warranty.

RTSIW45	The display case shall be Structural Concepts' Encore single deck refrigerated service inside corner case (RTSIW45) with spherical front glass, Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and remote refrigeration package. 0-2 end panels (number depends on configuration of case lineup). Tempered, single pane spherical fixed front glass. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor warranty.
RTSIW90	The display case shall be Structural Concepts' Encore single deck refrigerated service inside corner case (RTSIW90) with spherical front glass, Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and remote refrigeration package. 0-2 end panels (number depends on configuration of case lineup). Tempered, single pane spherical fixed front glass. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor warranty.
RTSOW45	The display case shall be Structural Concepts' Encore single deck refrigerated service outside corner case (RTSOW45) with spherical front glass, Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and remote refrigeration package. 0-2 end panels (number depends on configuration of case lineup). Tempered, single pane spherical fixed front glass. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor warranty.
RTSOW90	The display case shall be Structural Concepts' Encore single deck refrigerated service outside corner case (RTSOW90) with spherical front glass, Corian® or equivalent brand solid surface display deck and rear ledge, non-refrigerated rear storage and remote refrigeration package. 0-2 end panels (number depends on configuration of case lineup). Tempered, single pane spherical fixed front glass. Foam-in-place tub. Black powder coated 11 gauge angle iron steel support structure. Conforms to NSF Standard 7. One year parts and labor warranty.